

IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1, 5, 7, 9, 12, 14 and 16, CANCEL claims 4, 8, 13 and 17, and ADD new claims 18-22 in accordance with the following:

1. (CURRENTLY AMENDED) An image photographing system, comprising:
a display unit displaying a screen configured by a first display area displaying an image from an image acquisition device, and a second display area displaying a sequence of images;
a detecting unit detecting a photographing instruction;
a generating unit generating image data from the image when detecting the photographing instruction; and
~~an inserting unit inserting the image data in a position among said sequence of images, where said sequence of images is adjusted responsive to a display order indicated by a user~~
wherein the screen includes a number display area displaying a number of the generated image data.

2-4. (CANCELLED)

5. (CURRENTLY AMENDED) The image photographing system according to claim 1, wherein the image acquisition device is ~~an outside a device~~ outside of the image photographing system.

6. (CANCELLED)

7. (CURRENTLY AMENDED) A storage medium readable by a machine embodying a program of instructions executable by the machine to perform operations, comprising:
displaying a screen configured by a first display area displaying an image from an image acquisition device, ~~and a second display area displaying a sequence of image data, and a~~
number display area displaying a number of images;

detecting a photographing instruction;
generating image data from the image when detecting the photographing instruction;
and
~~inserting the image data in a position among said sequence of image data, where said~~
~~sequence of the image data is adjusted responsive to a display order indicated by a user~~
updating a display of the number display area to the number of the generated image data
responsive to the generating of the image data.

8. (CANCELLED)

9. (CURRENTLY AMENDED) The storage medium readable by a machine embodying the instructions executable by the machine according to claim 7, wherein the image acquisition device is an ~~outside~~ device outside of the machine.

10. (WITHDRAWN) A data management device comprising:
a display screen arranging and displaying a predetermined number of data identifying elements identifying data,
wherein if the number of pieces of data to be managed exceeds the number of pieces of data displayable on said display screen and if data to be managed is added, the added data is inserted in a layout of the data identifying elements displayed.

11. (WITHDRAWN) A storage medium readable by a machine, tangible embodying a program of instructions executable by the machine to perform method steps for making a computer manage data, the method steps comprising:
arranging and displaying a predetermined number of data identifying elements for identifying data;
adding data to be managed; and
inserting and displaying the added data in a layout of the data identifying elements displayed if the number of pieces of data to be managed exceeds the number of pieces of data displayable on a display screen and if data to be managed is added.

12. (CURRENTLY AMENDED) An image photographing method, comprising:
detecting a photographing instruction;

displaying a screen configured by a first display area displaying an image from an image acquisition device, ~~and a second display area displaying a sequence of image data, and a~~
number display area displaying a number of images;

generating image data from the image when detecting the photographing instruction;
and

~~inserting the image data in a position of said sequence listing of image data, where said
sequence of the image data is adjusted responsive to a display order indicated by a user~~

updating a display of the number display area to the number of the generated image data
responsive to the generating of the image data.

13. (CANCELLED)

14. (CURRENTLY AMENDED) The image photographing method according to claim 12,
wherein the image acquisition device is an ~~outside~~ device outside of a device which performs
the method.

15. (CANCELLED)

16. (CURRENTLY AMENDED) A computer readable storage medium storing a program
executable by a computer connected with an image acquisition device to perform operations,
comprising:

providing a first display area displaying an image from the image acquisition device ~~and,~~
providing a second display area displaying a sequence of stored image data, and providing a
number display area displaying a number of the stored image data; and

acquiring the image from the image acquisition device and generating image data related
to the acquired image,

wherein the generated image data is automatically stored at a selected position of the
displayed sequence of stored image data in accordance with a user's instruction when the
image is acquired, ~~and said sequence of the image data is adjusted responsive to a display
order indicated by the user~~ a display of the number display area is updated to the number of the
stored image data responsive to the generating of the image data.

17. (CANCELLED)

18. (PREVIOUSLY PRESENTED) An image photographing method, comprising:
generating image data corresponding to images photographed and displaying said
images in frames; and
moving one of said images in a direction between said frames indicated by a user and
updating a display number of said one of images based on said moving by the user.
19. (NEW) The image photographing system according to claim 1, wherein the
second display area includes the number display area.
20. (NEW) The image photographing system according to claim 1, wherein the
second display area is a configuration of a real film.
21. (NEW) The image photographing system according to claim 1, wherein the
display unit comprises a touch panel detecting a user's operation thereto and the screen
comprises a button generating the photographing instruction responsive to the user's operation
to the touch panel.
22. (NEW) The image photographing system according to claim 5, wherein
the image acquisition device includes a button acquiring the image, and
the display unit includes a touch panel detecting a user's operation thereto and the
screen comprises a button generating the photographing instruction responsive to the user's
operation to the touch panel as substitute for the button of the image acquisition device.